

Palmerston Lakes Water Quality Report Card 2025

AT A GLANCE

- Salvinia presence was low in most lakes
- ✓ Dissolved oxygen levels were good in most lakes
- ✓ Some lakes showed improvements from the last quarter's rating.
- High nutrient load present in some lakes which may lead to algae growth
 - High turbidity in some lakes

Water quality surveys were undertaken across 18 Palmerston Lakes on 13 February 2025.

Harvesting of Salvinia has improved water quality in almost all surveyed lakes.

The only Lakes to experience a deterioration in water quality was 1B, 4, and Sanctuary A.

Water quality at 1A, 5, 6, 7A, 7B, 7C, 8, 9, 10B and Marlow Lagoon have seen improved water quality, such that they now meet the criteria to be listed as good.

High nutrient loads were recorded in lakes 1B, 4, 8, Sanctuary A and Sanctuary B.

High turbidity was recorded in lakes 1B, 3, 4, and Sanctuary A.



LAKE CONDITION RATING

A

GOOD

Lake is well oxygenated, has low turbidity, low nutrients and low Salvinia coverage



B

Lake is moderately to well oxygenated but shows some evidence of low water quality, such as high nutrients, turbidity and Salvinia coverage

POOR

C

Lake is moderately to poorly oxygenated with other signs of poor water quality, such as high nutrients, high turbidity, algae and Salvinia coverage


VERY POOR



Lake is poorly oxygenated, has high nutrients, high turbidity, algae and Salvinia growth



Palmerston Lakes Water Quality Report Card 2025





How does this report card work?

Each of the 18 lakes are surveyed and assessed based on factors such as dissolved oxygen and turbidity, nutrient concentrations (nitrogen, phosphorus), amount of *Salvinia* surface coverage, and other notable findings relevant to lake condition.

Each lake is given a condition rating based on the characteristics of the lake during the survey. The criteria for this rating is derived from the features of a healthy lake outlined in the *Townsville Constructed Lakes Design Guideline* (DesignFlow and RPS 2010).

A healthy lake is typically dominated by macrophytes (i.e. emergent and submerged rooted water plants); as opposed to floating water plants (e.g. lilies, algae, the declared weed Salvinia molesta), microscopic algae (phytoplankton), and cyanobacteria. Macrophyte-dominated lakes help maintain low turbidity via uptake of nutrients and prevention of re-suspension of sediments.

Note that lake characteristics will change seasonally as water plants cycle through periods of growth and die-back. The rating given to each lake will differ between quarterly surveys and consistently poor or very poor ratings will require management action.

.

